2.71


Quiz 1

 $50 \min$

8:05-8:55am EST


9:05–9:55pm SST

2.71 Optics QUIZ 1 Spring '09 Wednesday, March 9th, 2009



distances shown in mm (not to scale) CL=corrective lens; EL=eye lens; EP=eye pupil; R=retina

- 1. Eye correction The schematic above is a grossly simplified model of a person's eye who suffers from myopia. The unaccommodated focal length of EL is $f_e = 45$ mm, whereas the distance from EL to R is longer, as shown. The purpose of this problem is to study the corrective action of CL for objects at infinity. We model both CL and EL as thin lenses.
 - a) (20%) First consider an on-axis object, *i.e.* $\alpha = 0$. Calculate CL's focal length f_c such that the combination of CL and EL focus properly on R.
 - b) (15%) Locate the 2nd Principal Plane and the Effective Focal Length of the combination of CL and EL.
 - c) (15%) Now consider an off-axis object, *i.e.* $\alpha \neq 0$. Which elevation on R is the image formed at?
 - d) (20%) Does this person's EP appear smaller or larger than its natural size when viewed through CL by an observer? By how much?



- 2. Aperture and field stops in a telescope with finite conjugates For the telescope configuration shown above, where lenses L1 and L2 have focal lengths f_1 , f_2 , respectively, the object plane and two stops S1 and S2 of half-sizes a_1 , a_2 , respectively, are at the locations shown,
 - a) (10%) identify the Aperture Stop and the Field Stop, and trace the Chief Ray and Marginal Ray for a sample off-axis point object of your choice;
 - b) (10%) locate the Entrance Pupil, Exit Pupil, Entrance Window, and Exit Window; and
 - c) (10%) calculate the Numerical Aperture and Field of View.

GOOD LUCK!

2.71 / 2.710 Optics Spring 2009

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.